

STIC Biotechnology Systems Branch

RAW SEQUENCE LISTING **ERROR REPORT**

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/849,967B
Source: IFW/b
Date Processed by STIC: 10/19/06

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE **CHECKER VERSION 4.4.0 PROGRAM**, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/ebc/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):
U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/10/06



IFW16

RAW SEQUENCE LISTING

DATE: 10/19/2006

PATENT APPLICATION: US/09/849,967B

TIME: 10:18:14

Input Set : F:\NYMC-2.ST251.txt

Output Set: N:\CRF4\10192006\I849967B.raw

3 <110> APPLICANT: New York Medical College
5 <120> TITLE OF INVENTION: Splice Choice Antagonists as Therapeutic Agents
7 <130> FILE REFERENCE: 51230-00601
9 <140> CURRENT APPLICATION NUMBER: 09/849,967B
10 <141> CURRENT FILING DATE: 2001-05-08
E--> 12 <160> NUMBER OF SEQ ID NOS: 4 *see p. 2*
14 <170> SOFTWARE: PatentIn version 3.3

ERRORED SEQUENCES

Does Not Comply
Corrected Diskette Needed

09/849,967B 2

<210> 7
<211> 8
<212> PRT
<213> Homo sapiens

last sequence in submitted file

<220>
<221> SITE
<222> (1)..(1)
<223> Xaa represents a Lysine or an Arginine

<220>
<221> SITE
<222> (3)..(3)
<223> Xaa represents a phenylalanine or tyrosine

<220>
<221> SITE
<222> (4)..(4)
<223> Xaa represents a glycine or alanine

<220>
<221> misc_feature
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> SITE
<222> (8)..(8)
<223> Xaa represents a phenylalanine or tyrosine

<400> 7

Xaa Gly Xaa Xaa Pro Val Xaa Xaa
1 5

VERIFICATION SUMMARY

DATE: 10/19/2006

PATENT APPLICATION: US/09/849,967B

TIME: 10:18:15

Input Set : F:\NYMC-2.ST251.txt

Output Set: N:\CRF4\10192006\I849967B.raw

L:410 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0

L:12 M:203 E: No. of Seq. differs, <160> Number Of Sequences:Input (4) Counted (7)